



Antenna

C-193 Series



P/N	Frequency	Connector	Dimensions
C-193-1	810~860 MHz	TNC Male	15.2 x 242.0 mm
C-278	720 MHz	BNC Male	15.2 X 244.0 mm
C-318-6	798~846 MHz	TNC Male	15.2 x 242.0 mm
C-321	428.6 ~ 438.6 MHz	BNC Male	15.2 X 244.0 mm
C-354-3	779 ~ 810 MHz	BNC Male	15.2 X 244.0 mm
C-514-2	620~668 MHz	TNC Male	15.2 x 312.0 mm
C-515-2	668~716 MHz	TNC Male	15.2 x 242.0 mm
C-516-2	716~764 MHz	TNC Male	15.2 x 242.0 mm
C-517-2	764~798 MHz	TNC Male	15.2 x 242.0 mm
C-518-2	846~894 MHz	TNC Male	15.2 x 242.0 mm
C-519-2	910~958 MHz	TNC Male	15.2 x 242.0 mm
C-611	890~960 & 1710~1880MHz	SMA Male	15.2 x 236.0 mm
C-611-2	824~896 & 1850~1990 MHz	SMA Male	15.2 x 236.0 mm
C-611-3	824~896 & 1850~1990 MHz	SMA Male Reverse	15.2 x 231.0 mm
C-611-4	824~894 & 1710~1990 MHz	SMA Male	15.2 x 228.0 mm
C-611-5	850 & 1990 MHz	SMA Male	15.2 x 236.0 mm
C-611-6	824~894 & 1850~1990 MHz	TNC Male	15.2 x 248.0 mm
C-611-7	824~960 & 1710~1990 MHz	SMA Male	15.2 x 238.0 mm
C-648-1	915 MHz	SMA Male	15.2 x 238.0 mm
C-653-1	806 MHz	SMA Male	15.2 x 238.0 mm
C-653-2	864 MHz	SMA Male	15.2 x 238.0 mm
C-656	433 MHz	SMA Male	15.2 x 248.0 mm



C-657	918 MHz	SMA Male	15.2 x 248.0 mm
C-665	433 MHz	SMA Male	15.2 x 236.0 mm
C-665-1	433 MHz	BNC Male	15.2 x 243.0 mm
C-666	824~896 MHz	SMA Male	15.2 x 238.0 mm
C-660	824~896 & 1850~1990 MHz	TNC Male	15.2 x 242.0 mm
C-660-1	824~896	TNC Male	15.2 x 242.0 mm
C-660-2	850~900 & 1850~1960 MHz	TNC Male	15.2 x 158.0 mm
C-660-3	800~900 MHz	TNC Male	15.2 x 158.0 mm
C-660-4	850 & 1900 MHz	TNC Male	15.2 x 242.0 mm
C-660-5	880~960 & 1710~1990 MHz	TNC Male	15.2 x 242.0 mm
C-670-1	824~925 MHz	TNC Male	15.2 x 242.0 mm
C-706	798~819 MHz	BNC Male	15.2 X 244.0 mm
C-707-1	840~864 MHz	BNC Male	15.2 X 244.0 mm
C-722	890~960 MHz	TNC Male	15.2 x 242.0 mm
C-723	1710~1880 MHz	TNC Male	15.2 x 242.0 mm
C-724	1850~1990 MHz	TNC Male	15.2 x 242.0 mm
C-743	900~1050 MHz	SMA Male	15.2x190.0 mm
C-743-1	1025~1280 MHz	SMA Male	15.2x190.0 mm
C-743-2	1150~1450 MHz	SMA Male	15.2x190.0 mm
C-743-3	2300~2500 MHz	SMA Male	15.2x190.0 mm
C-748	928~932 MHz	TNC Male	15.2 x 242.0 mm
C-749	518~542MHz	BNC Male	15.2 x 312.0 mm
C-750	638~662MHz	BNC Male	15.2 x 312.0 mm
C-751	572~596MHz	BNC Male	15.2 x 312.0 mm
C-754	800~860 MHz	TNC Male	15.2 x 242.0 mm
C-811	830 MHz	SMA Male	15.2 x 118.0 mm
C-811-1	860 MHz	TNC Male	15.2 x 242.0 mm
C-811-2	800 MHz	TNC Male	15.2 x 242.0 mm
C-811-3	740 MHz	TNC Male	15.2 x 242.0 mm
C-823	802 MHz	BNC Male	15.2 X 244.0 mm
C-849	863.15 MHz	TNC Male	15.2 x 242.0 mm
C-859	916 MHz	SMA Male	15.2 x 236.0 mm
C-866	450~470 MHz	SMA Male	15.2 x 242.0 mm



S-086	2.4~2.5 GHz	TNC Male	15.2 x 242.0 mm
S-101-1	2.4~2.5 GHz	SMA Male	15.2 x 237.0 mm
S-101-2	2.4~2.5 GHz	BNC Male	15.2 X 244.0 mm